


| DWG NO    | ROOM ASM-SLIDEOUT | SLUG ASM-SLIDEOUT |
|-----------|-------------------|-------------------|
| 170807-01 | 170807-11-XXX     | 170805-11-XXX     |
| 170807-02 | 170807-12-XXX     | 170805-12-XXX     |

(694)




18. THEATER SEATING SEAT BELT LOCATION.
17. ADJUST THE INBOARD RAM MOUNT TO ACHIEVE 6mm  $\pm 2$  OF FALL WHEN THE RAM ARM IS EXTENDED.
16. THE VALVES ON THE HYDRAULIC PUMP MUST BE OPEN TO MANUALLY RETRACT ROOM.
15. FOR MANUAL RETRACT, DISCONNECT 12V WIRING TO THE MOTOR, RELEASE THE MOTORBRAKE, AND RACHET USING A 3/4" SOCKET AT THIS LOCATION.
14. CLAMP OR WIRE TIE ALL HOSES AT 900mm INTERVALS MAX. & WHERE NECESSARY TO PREVENT HOSES FROM CONTACTING MOVING PARTS OR HEAT PRODUCING ITEMS.
13. ALL HOSES MUST HAVE A 50mm MIN. RADIUS TO AVOID KINKS OR FLOW RESTRICTIONS. COVER ALL HOSES FULL LENGTH BELOW COACH FLOOR WITH CONDUIT 41953-09-000
12. TORQUE ALL BOLTS PER ES0018 UNLESS OTHERWISE SPECIFIED. (SEE TABLE BELOW)
11. USE POLY-CLEAR 47034-07-000 AND ATTACH IT USING WASHER 44533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
10. POSITION SEAL FLUSH WITH LOWER TRIM AND TIGHT AGAINST INNER TRIM.
9. SCREWS CANNOT BE REUSED. ANY TIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.
8. USE SCREW 639-08-08S TO HOLD EACH END OF TRIM.
7. SEE SEALANT MANUAL.
6. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
5. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING. TIGHTEN AFTER ALL ADJUSTMENTS ARE COMPLETE.
4. THIS IS A NOMINAL DIMENSION; THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
3. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.
2. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE LOCK NUTS ON THE PISTON RODS IN OR OUT UNTIL THE SLIDEOUT ROOM SEALS AGAINST THE SIDEWALL.
1. FOR ADDITIONAL INFORMATION SEE WIRE INSTALLATION FRONT END AND THE LEVELING JACK INSTALLATION DRAWINGS.

NOTES:


| RELEASE | PREVIOGATE | DWG NO                                                              |          |           |
|---------|------------|---------------------------------------------------------------------|----------|-----------|
| A       | 108-12-08  | 170807                                                              |          |           |
| REV     | ZONE       | REVISION RECORD                                                     | DATE     | OPTR      |
| B       | SH2        | 170805-11 WAS 165420-11                                             | 8-18-08  | 4378      |
| C       | SH2        | ADD FLOORS 169486-01,-02, ADD 541, 169                              | 12-11-08 | 4378      |
| D       | SH2        | CHANGE SEAT BRACE 7804-01 TO 17208-01                               | 02-02-09 | 8584-3147 |
| E       | S12        | ADD TAB -02 AND 034 OPTION                                          | 05-04-09 | 8584-5281 |
| F       | SH2        | ADD FILM 003081-39-CHT                                              | 05-18-09 | 8584-0842 |
| G       | SH2        | CHG SEAT BELT INSTL 159417-27-XXX TO 159417-23-XXX                  | 06-18-09 | 4124      |
| H       | SH2        | DELETE RETAINER TRIM CALLOUTS                                       | 08-17-09 | 8307-8307 |
| J       | SH2        | CHG BLOCK SEAL 156480-01 TO -02                                     | 08-27-09 | 8307-8307 |
| K       | ---        | INTERIOR TRIM PIECE CHG TO TRIM KIT INTERIOR SLIDEOUT 170805-12-XXX | 09-21-09 | 8345-9941 |

| WINNERBAGO                 |                   | COPYRIGHT 2009 WINNERBAGO INDUSTRIES, INC. |  |
|----------------------------|-------------------|--------------------------------------------|--|
| OPTR D. ALUKES             | ORIG. DATE 8-6-08 | ALL DIMENSIONS ARE IN MILLIMETERS          |  |
| CHG PANELS GROUP           | FIRST USED        | 10 J32H                                    |  |
| F. G. WESSLING             | 10 J32H           | UNSPECIFIED TOLERANCES ARE:                |  |
| M. F. ROSSMILLER           |                   | HOLE DIM 101 1 3                           |  |
| CHG F. WEGNER              |                   | ONE-PLACE 12, 16, 21 1                     |  |
|                            |                   | TWO-PLACE 12, 16, 21 1                     |  |
|                            |                   | ANGLE 1                                    |  |
| THIRD ANGLE PROJECTION     |                   |                                            |  |
| DO NOT SCALE DRAWING       |                   |                                            |  |
| TITLE: SLIDEOUT COMPL-LEFT |                   |                                            |  |
| SHEET 1 OF 5               | PART NO 170807    | REV K                                      |  |


165422R 1








|           |  |                      |  |
|-----------|--|----------------------|--|
| PART USES |  | 10 J32H              |  |
| TITLE     |  | DO NOT SCALE DRAWING |  |
| SHEET 2   |  | SLIDEOUT COMPL-LEFT  |  |
| PART NO   |  | 170807               |  |
| REV       |  | K                    |  |



|                            |         |         |       |
|----------------------------|---------|---------|-------|
| FIRST USED                 |         | 10 J32H |       |
| DO NOT SCALE DRAWING       |         |         |       |
| TITLE: SLIDEOUT COMPL-LEFT |         |         |       |
| SHEET 3                    | PART NO | 170807  | REV K |





RAIL-FLOOR  
115325-19-CHT  
SCREW  
G39-10-12B (12)  
POLYETHYLENE  
115661-01-CHT  
(20491)

DETAIL EA  
(541)  
(41H 41F 41L 42H 42Z)

LUMBER-RADIUS  
163342-02-124





DETAIL EH  
(169)  
(226 22F)

ROLLER ASM-GLIDE  
127033-02-CHT (4)  
BRACKET ASM-ROLLER  
140828-05-CHT (4)  
SCREW  
G39-10-10T (16)  
WASHER  
E13-20-00B (24)  
16 PER ROLLER, 3 ON  
EACH END OF SHAFT.1

TRIM-CARPET  
151282-11-CHT

DETAIL EJ  
(169)  
(41H 41F 41L 42H 42Z)

ROLLER ASM-GLIDE  
127033-02-CHT (4)  
BRACKET ASM-ROLLER  
140828-05-CHT (4)  
SCREW  
G39-10-10T (16)  
WASHER  
E13-20-00B (24)  
16 PER ROLLER, 3 ON  
EACH END OF SHAFT.1



VIEW EG

SECTION EC-EC

DETAIL EF

|                            |         |         |       |
|----------------------------|---------|---------|-------|
| FIRST USED                 |         | 10 J32H |       |
| DO NOT SCALE DRAWING       |         |         |       |
| TITLE: SLIDEOUT COMPL-LEFT |         |         |       |
| SHEET 5                    | PART NO | 170807  | REV K |